



tSec Reader Vandal Resistant Cover



Designed to withstand some of the harshest settings, the optional vandal resistant covers are ideal for locations where a card reader may be exposed to damage, including corridors, parking buildings, correctional facilities and other public places. Highly resistant to impact, such as from the swing of a hammer or baseball bat, its robust construction provides greater durability and protection against vandalism and malicious damage. The flush design also serves as an anti-ligature measure for an additional level of safety.

Feature Highlights

- > Available in 3 reader sizes: standard, extra and mini
- > Easily mounted on interior/exterior walls
- > Encapsulating case and access window made from high impact plastic material
- > IK10 impact rating
- > Compliant to DHF TS 001:2013 Enhanced Requirements & Test Methods for Anti-Ligature Hardware to grade B4 for vertical direction devices
- > Attractive beveled design

A Solution for All Environments

tSec Reader Vandal Resistant Covers are available for all three tSec Reader models - standard, extra and mini - ensuring there is a size to suit every installation.

Attractive Design

The sleek beveled design of the vandal resistant cover integrates seamlessly with the tSec Reader to provide a quality finish that is attractive as well as effective.

Enhanced Attack Protection


A tSec Reader is able to withstand an attack to impact level IK6. With the additional vandal resistant cover mounted correctly the impact protection rating improves significantly to IK10.

The tSec Reader Vandal Resistant Cover is compliant with DHF TS 001:2013 Enhanced Requirements & Test Methods for Anti-Ligature Hardware to grade B4 for vertical direction devices.

Vandal-Proof Seal

When installing the vandal resistant cover, silicone is applied along the top and side edges of the tSec Reader to ensure a sealed vandal-proof installation and maintain the impact protection rating.

The silicone is applied after the reader has been mounted, forming an exact fit at the mounting location. The diagram below demonstrates the placement of the silicone seal.



Ordering Vandal Resistant Covers

tSec Reader Vandal Resistant Covers are available to suit all tSec Reader sizes.



Covers can be ordered using the following part codes:

- > **tSec Standard Reader:** PRX-SVRC
- > **tSec Extra Reader:** PRX-XVRC
- > **tSec Mini Reader:** PRX-MVRC


Keypad Support

Only specific keypad reader options are compatible with vandal resistant covers. Regular keypad variations of the tSec Reader range do not operate correctly with the vandal resistant covers that are available separately. The reader must be ordered as a kit (including the cover) using one of the following part codes:

- > **tSec Standard Reader:**
 - > PRX-TSEC-STD-KP-VRC (Multi Technology)
 - > PRX-TSEC-STD-DF-KP-VRC (13.56MHz)
 - > PRX-TSEC-STD-KP-BT-B-VRC (Multi Technology with Bluetooth® Wireless Technology)
- > **tSec Extra Reader:**
 - > PRX-TSEC-EXTRA-KP-VRC (Multi Technology)
 - > PRX-TSEC-EXTRA-DF-KP-VRC (13.56MHz)
 - > PRX-TSEC-EXTRA-KP-BT-B-VRC (Multi Technology with Bluetooth® Wireless Technology)


tSec Standard Reader Vandal Resistant Cover Dimensions

PRX-SVRC dimensions (H x W x D): 162 x 91 x 22.6mm (6.37 x 3.58 x 0.88")




tSec Extra Reader Vandal Resistant Cover Dimensions

PRX-XVRC dimensions (H x W x D): 162 x 120 x 22.6mm (6.37 x 4.72 x 0.88")



tSec Mini Reader Vandal Resistant Cover Dimensions

PRX-MVRC dimensions (H x W x D): 127 x 88 x 20mm (5.0 x 3.46 x 0.78")



Technical Specifications

Ordering Information	
PRX-SVRC	tSec Standard Reader Vandal Resistant Cover
PRX-XVRC	tSec Extra Reader Vandal Resistant Cover
PRX-MVRC	tSec Mini Reader Vandal Resistant Cover
Operating Conditions	
Impact Rating	IK10
Construction	
Body	ABS/PC C2950
Access Window	PC 2805
Dimensions	
Dimensions (H x W x D)	tSec Standard Reader Cover: 162 x 91 x 22.6mm (6.37 x 3.58 x 0.88")
	tSec Extra Reader Cover: 162 x 120 x 22.6mm (6.37 x 4.72 x 0.88")
	tSec Mini Reader Cover: 127 x 88 x 20mm (5.0 x 3.46 x 0.78")
Net Weight	tSec Standard Reader Cover: 85g (3oz)
	tSec Extra Reader Cover: 105g (3.7oz)
	tSec Mini Reader Cover: 58g (2.1oz)
Gross Weight	tSec Standard Reader Cover: 97g (3.4oz)
	tSec Extra Reader Cover: 121g (4.3oz)
	tSec Mini Reader Cover: 58g (2.1oz)

Designers & manufacturers of integrated electronic access control, security and automation products.
Designed & manufactured by Integrated Control Technology Ltd.
Copyright © Integrated Control Technology Limited 2003-2021. All rights reserved.

Disclaimer: Whilst every effort has been made to ensure accuracy in the representation of this product, neither Integrated Control Technology Ltd nor its employees shall be liable under any circumstances to any party in respect of decisions or actions they may make as a result of using this information. In accordance with the ICT policy of enhanced development, design and specifications are subject to change without notice.

www.ict.co

08-Sep-21