


AN-270

Identifying the Hardware on a tSec Reader

Application Note



The specifications and descriptions of products and services contained in this document were correct at the time of printing. Integrated Control Technology Limited reserves the right to change specifications or withdraw products without notice. No part of this document may be reproduced, photocopied, or transmitted in any form or by any means (electronic or mechanical), for any purpose, without the express written permission of Integrated Control Technology Limited. Designed and manufactured by Integrated Control Technology Limited, Protege® and the Protege® Logo are registered trademarks of Integrated Control Technology Limited. All other brand or product names are trademarks or registered trademarks of their respective holders.

Copyright © Integrated Control Technology Limited 2003-2022. All rights reserved.

Last Published: 11-May-22 11:02 AM

Contents

Identifying tSec Reader Hardware _

Identifying tSec Reader Hardware

There are two hardware versions of the tSec Reader: an older version which only supports green and blue LED colors, and a newer version which can support any color made up of red, green and blue LEDs.

The hardware version of your tSec Reader can be identified by looking at the **reverse side** of the reader, near the **top**. The images below show the older and newer revisions respectively:

Older Hardware with Green and Blue LEDs

Newer Hardware with Red, Green and Blue LEDs



3

Designers & manufacturers of integrated electronic access control, security and automation products. Designed & manufactured by Integrated Control Technology Ltd. Copyright © Integrated Control Technology Limited 2003-2022. All rights reserved.

Disclaimer: Whilst every effort has been made to ensure accuracy in the representation of this product, neither Integrated Control Technology Ltd nor its employees shall be liable under any circumstances to any party in respect of decisions or actions they may make as a result of using this information. In accordance with the ICT policy of enhanced development, design and specifications are subject to change without notice.